



Attorney's Docket No.: 17327-002001

IFW

\$

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Fred Fischer et al.

Art Unit : 2812

Serial No. : 10/804,316

Examiner : Unknown

Filed : March 18, 2004

Title : CATHODIC LEAD INSULATOR

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

REQUEST FOR CORRECTION OF STATUS AS A SMALL ENTITY

The undersigned has now discovered that the small entity status may have been erroneously established in the application referenced above. To the best knowledge of the undersigned, the small entity status was established in good faith and without deceptive intent. However, it appears that certain fees in the above referenced case may therefore have been erroneously paid at the small entity rate.

As required by 37 C.F.R. § 1.28(c) applicant hereby provided payment of the deficiency between the actual amount paid, and the amount due. These amounts include:

Action	Date	Paid Amount	New Amount	Deficiency
Filing Fee	3/18/2004	\$385	\$770	\$385
			Total	\$385.00

No further fees are believed necessary for this paper. Please apply any charges or credits to Deposit Account No. 06-1050, Order No. 17327-002001.

06/16/2004 SSANDARA 00000003 10804316

01 FC:1001

770.00 0P

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date of Deposit

Signature

Typed or Printed Name of Person Signing Certificate


June 10, 2004
Lenora H. Francis
Lenora H. Francis

Applicant : Fred Fischer et al.
Serial No. :
Filed :
Page : 2 of 2

Attorney's Docket No.: 17327-002001

Respectfully submitted,

Date: 6/10/2004



David L. Schuler
Reg. No. 51,190

Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110-2804
Telephone: (617) 542-5070
Facsimile: (617) 542-8906

20828789.doc